**1.** Department of Health and Ageing. Research and evidence in suicide prevention. Barton: Commonwealth of Australia; 2007.

**2**. Milburn NG, Rotheram-borus MJ, Rice E, Mallet S, Rosenthal D. Cross-national variations in behavioral profiles among homeless youth. American Journal of Community Psychology. 2006;37(1-2):63-76.

**3.** National Youth Commission. Australia's homeless youth: a report of the national youth commission inquiry into youth homelessness. Brunswick (VIC): National Youth Commission 2008.

**4.** Australian Bureau of Statistics. Information Paper - A Statistical Definition of Homelessness. . Canberra: ABS; 2012. ABS publication 4922.0.

**5.** Australian Bureau of Statistics. Census of Population and Housing: Estimating homelessness. Canberra: ABS, 2011. ABS publication 2049.0

**6.** Couch J. 'My life just went zig zag': refugee young people and homelessness. Youth Studies Australia. 2011;30(2):22.

7. Oakley S, Bletsas A. Understanding the circumstances and experiences of young lesbian, gay, bisexual, transgender, intersex and gender questioning people who are homelessness in Australia: a scoping study. Adelaide: The University of Adelaide, 2013.

8. Cleverley K, Kidd SA. Resilience and suicidality among homeless youth. Journal of Adolescence. 2011;34(5):1049.

**9.** Edidin JP, Ganim Z, Hunter SJ, Karnik NS. The mental and physical health of homeless youth: a literature review. Child Psychiatry & Human Development. 2012;43(3):354-75.

**10**. Martijn C, Sharpe L. Pathways to youth homelessness. Social Science & Medicine. 2006;62(1):1-12.

**11.** Jordan L. Spaces of trauma: young people, homelessness and violence. Youth Studies Australia. 2012 31(4):11-7.

**12.** Hudson AL, Nandy K. Comparisons of substance abuse, highrisk sexual behavior and depressive symptoms among homeless youth with and without a history of foster care placement. Contemporary Nurse. 2012;42(2):178-86.

**13.** Altena AM, Brilleslijper-Kater SN, Wolf JLM. Effective interventions for homeless youth: a systematic review. American Journal of Preventive Medicine. 2010;38(6):637-45.

**14.** Department of Health and Ageing. Living Is For Everyone (LIFE) framework. Canberra: Commonwealth of Australia; 2007.

**15.** Hamza CA, Stewart SL, Willoughby T. Examining the link between nonsuicidal self-injury and suicidal behavior: A review of the literature and an integrated model. Clinical Psychology Review. 2012;32(6):482-95.

**16.** Suicide Prevention Australia. Crisis response and the role of emergency services and first responders. Leichhardt (NSW): Suicide Prevention Australia; 2010.

**17.** Australian Bureau of Statistics. Causes of Death, Australia, 2011 Canberra 2013. ABS publication 3303.0

**18.** Australian Bureau of Statistics. Suicides, Australia, 2010 Canberra 2013. ABS publication 3309.0.

**19.** Australian Institute of Health and Welfare. Young Australians: their health and wellbeing 2011. Canberra: AIHW Catalogue No. PHE 140; 2011.

**20.** Australian Government. Australian Government response to 'before it's too late: report on the inquiry into early intervention programs aimed at reducing youth suicide'. Canberrra: Department of Health and Ageing; 2013.

**21.** Nock MK. Self-injury. Annual Review of Clinical Psychology. 2010;6(1):339-63.

**22.** Mitrou F, Gaudie J, Lawrence D, Silburn SR, Stanley FJ, Zubrick SR. Antecedents of hospital admission for deliberate self-harm from a 14-year follow-up study using data-linkage. BMC psychiatry. 2010;10(82):2-11.

**23.** Department of Health and Ageing. Mental health [Internet]. 2013 [cited 2013 Aug 20]. Available from: http://www.health.gov. au.

**24.** Australian Government. The Road Home A National Approach to Reducing Homelessness. Canberra: Commonwealth of Australia; 2008.

**25.** Council of Australian Governments. National Affordable Housing Agreement. Canberra: COAG; 2012.

**26.** Department of Social Services. The transitional national partnership agreement on homelessness 2013 [October 30, 2013]. Available from: www.dss.gov.au.

**27.** Office of the Auditor General Western Australia. Implementation of the national partnership agreement on homelessness in Western Australia. Perth: Office of the Auditor General Western Australia; 2012.

**28.** Government of Western Australia. Mental Health Comission 2013. Available from: http://www.mentalhealth.wa.gov.au/ Homepage.aspx.

**29.** Department of Health. Western Australian suicide prevention strategy 2009 – 2013 Perth: Government of Western Australia Department of Health; 2009.

**30.** Rudd MD, Berman AL, Joiner TE, Nock MK, Silverman MM, Mandrusiak M, et al. Warning signs for suicide: theory, research, and clinical applications. Suicide and Life-Threatening Behavior. 2006;36(3):255-62.

**31.** Rossiter B, Mallett S, Myers Pa, Rosenthal D. Living well? Homeless young people in Melbourne. Melbourne: The Australian Research Centre in Sex, Health and Society, La Trobe University; 2003.

**32.** Tyler K, Melander L, Almazan E. Self injurious behavior among homeless young adults: A social stress analysis. Social Science & Medicine. 2010;70(2):269-76.

**33.** Moskowitz A, Stein JA, Lightfoot M. The mediating roles of stress and maladaptive behaviors on self-harm and suicide attempts among runaway and homeless youth. Journal of Youth and Adolescence. 2013;42(7):1015-27.

29

**34.** Walls N, Hancock P, Wisneski H. Differentiating the social service needs of homeless sexual minority youths from those of non-homeless sexual minority youths. Journal of Children & Poverty. 2007;13(2):177-205.

**35.** Wilcox HC, Conner KR, Caine ED. Association of alcohol and drug use disorders and completed suicide: an empirical review of cohort studies. Drug and Alcohol Dependence. 2004;76:11-9.

**36.** Tidemalm D, Runeson B, Waern M, Frisell T, Carlström E, Lichtenstein P, et al. Familial clustering of suicide risk: a total population study of 11.4 million individuals. Psychological Medicine. 2011;12(41).

**37.** Brent DA, Melhem N. Familial transmission of suicidal behavior. Psychiatric Clinics of North America. 2008;31(2):157-77

**38.** Yoder KA, Whitbeck LB, Hoyt DR. Comparing subgroups of suicidal homeless adolescents: Multiple attempters, single attempters and ideators. Vulnerable Children and Youth Studies. 2010;5(2):151.

**39.** Nordentoft M. Crucial elements in suicide prevention strategies. Progress in Neuro-Psychopharmacology & Biological Psychiatry. 2011;35(4):848-53.

**40.** Walls NE, Potter C, Van Leeuwen J. Where risks and protective factors operate differently: homeless sexual minority youth and suicide attempts. Child & Adolescent Social Work Journal. 2009;26(3):235-57.

**41.** Hadland SE, Marshall BDL, Kerr T, Qi J, Montaner JSG, Wood E. Suicide and history of childhood trauma among street youth. Journal of Affective Disorders. 2012;136(3):377-80.

**42.** Gould MS, Velting D, Kleinman M, Lucas C, Thomas JG, Chung M. Teenagers' attitudes about coping strategies and help-seeking behavior for suicidality. Journal of the American Academy of Child & Adolescent Psychiatry. 2004;43(9):1124-33.

**43.** Feigelman WPHD, Gorman BSPHD. Assessing the effects of peer suicide on youth suicide. Suicide & Life - Threatening Behavior. 2008;38(2):181-94.

**44.** Eldridge D. Injury among young Australians, AIHW Bulletin 60. Canberra: AIHW, 2008.

**45.** Campo JV. Youth suicide prevention: does access to care matter? Current Opinion in Pediatrics. 2009;21(5):628-34.

**46.** McCay E, Langley J, Beanlands H, Cooper L, Mudachi N, Harris A, et al. Mental health challenges and strengths of street-involved youth: the need for a multi-determined approach. The Canadian journal of nursing research. 2010;42(3):30-49.

**47.** *Kidd SA, Carroll MR. Coping and suicidality among homeless youth. Journal of Adolescence. 2007;30(2):283-96.* 

**48.** Kolar K, Erickson PG, Stewart D. Coping strategies of streetinvolved youth: exploring contexts of resilience. Journal of Youth Studies. 2012;15(6):744-60.

**49.** Bender K, Thompson SJ, McManus H, Lantry J, Flynn PM. Capacity for survival: exploring strengths of homeless street youth. Child & Youth Care Forum. 2007;36(1):25-42. *50.* Rew L, Horner SD. Personal strengths of homeless adolescents living in a high-risk environment. Advances in Nursing Science. 2003;26(2):90-101.

**51.** Selekman MD. Pathways to change: brief therapy with difficult adolescents. 2nd ed. New York: The Guilford Press; 2005.

**52.** Kidd SA, Shahar G. Resilience in homeless youth: the key role of self-esteem. American Journal of Orthopsychiatry. 2008;78(2):163-72.

**53.** Christian AS, McCabe KM. Coping style as a mediator of the relationship between depressive symptoms and deliberate self-harm. Crisis: The Journal of Crisis Intervention and Suicide Prevention. 2011;32(5):272-9.

**54.** Gangwisch JE. Suicide risk assessment. International Journal of Clinical Reviews. 2011:1-8.

**55.** Isaac M, Elias B, Katz LY, Belik S-L, Deane FP, Enns MW, et al. Gatekeeper training as a preventative intervention for suicide: a systematic review. La Revue Canadienne de Psychiatrie 2009;54(4):260-8.

**56.** Pitman A, Caine E. The role of the high-risk approach in suicide prevention. The British Journal of Psychiatry. 2012;201(3):175-7.

**57.** Mann JJ, Apter A, Bertolote J, Beautrais A, Currier D, Haas A, et al. Suicide prevention strategies. JAMA: the Journal of the American Medical Association. 2005;294(16):2064-74.

**58.** Fountoulakis KN, Gonda X, Rihmer Z. Suicide prevention programs through community intervention. Journal of Affective Disorders. 2011;130(1–2):10-6.

**59.** Robinson J, Hetrick SE, Martin C. Preventing suicide in young people: systematic review. Australian and New Zealand journal of psychiatry. 2011;45(1):3-26.

**60.** Ryan CJ, Larger MM. Suicide risk assessment: where are we now? Medical Journal of Australia. 2013;198(9):462-3.

**61.** Wasserman D, Rihmer Z, Rujescu D, Sarchiapone M, Sokolowski M, Titelman D, et al. The European Psychiatric Association (EPA) guidance on suicide treatment and prevention. European Psychiatry. 2012;27(2):129-41.

**62.** Slee N, Garnefski N, van der Leeden R, Arensman E, Spinhoven P. Cognitive–behavioural intervention for self-harm: randomised controlled trial. The British Journal of Psychiatry. 2008;192(3):202-11.

**63.** Crawford MJ, Thomas O, Khan N, Kulinskaya E. Psychosocial interventions following self-harm systematic review of their efficacy in preventing suicide. The British Journal of Psychiatry. 2007;190(1):11-7.

**64.** van der Feltz-Cornelis CM, Sarchiapone M, Postuvan V, Volker D, Roskar S, Grum AT, et al. Best practice elements of multilevel suicide prevention strategies: a review of systematic reviews. Crisis: The Journal of Crisis Intervention and Suicide Prevention. 2011;32(6):319.



**65.** Luxton DD, June JD, Comtois KA. Can postdischarge followup contacts prevent suicide and suicidal behavior?: A review of the evidence. Crisis: Journal of Crisis Intervention & Suicide. 2013;34(1):32-41.

**66.** du Roscoät E, Beck F. Efficient interventions on suicide prevention: a literature review. Revue d'Épidémiologie et de Santé Publique. 2013;61(4):363-74.

**67.** Gould, Cross W, Pisani AR, Munfakh JL, Kleinman M. Impact of applied suicide intervention skills training on the national suicide prevention lifeline. Suicide and Life-Threatening Behavior. 2013:1-16.

**68.** Sisask M, Värnik A. Media roles in suicide prevention: a systematic review. International journal of environmental research and public health. 2012;9(1):123-38.

**69.** De Silva S, Parker A, Purcell R, Callahan P, Liu P, Hetrick S. Mapping the evidence of prevention and intervention studies for suicidal and self-harming behaviors in young people. Crisis: Journal of Crisis Intervention & Suicide. 2013;34(4):223-32.

**70.** McCay E, Quesnel S, Langley J, Beanlands H, Cooper L, Blidner R, et al. A relationship-based intervention to improve social connectedness in street-involved youth: a pilot study. Journal of Child & Adolescent Psychiatric Nursing. 2011;24(4):208-15.

**71.** Ferguson KM, Xie B. Feasibility study of the social enterprise intervention with homeless youth. Research on Social Work Practice. 2008;18(1):5-19.

**72.** Hyun M, Chung HC, Lee Y. The effect of cognitive–behavioral group therapy on the self-esteem, depression, and self-efficacy of runaway adolescents in a shelter in South Korea. Applied Nursing Research. 2005;18(3):160-6.

**73.** Taylor H, Stuttaford MC, Vostanis P. Short-term outcome of young homeless people in contact with a designated mental health service. European Journal of Psychiatry. 2007;21(4):268-78.

**74.** Slesnick N, Prestopnik JL, Meyers RJ, Glassman M. Treatment outcome for street-living, homeless youth. Addictive Behaviors. 2007;32(6):1237-51.

**75.** Slesnick N, Kang MJ, Bonomi AE, Prestopnik JL. Six- and twelve-month outcomes among homeless youth accessing therapy and case management services through an urban dropin center. Health Services Research. 2008;43(1):211-29.

**76.** Stewart M, Reutter L, Letourneau N, Makwarimba E. A support intervention to promote health and coping among homeless youths. Canadian Journal of Nursing Research. 2009;41(2):55-77.

**77.** Barker J, Humphries P, McArthur M, Thomson L. Literature review: effective interventions for working with young people who are homeless or at risk of homelessness. Canberra (ACT): Australian Government Department of Families, Housing, Community Services and Indigenous Affairs; 2012.

**78.** Muñoz-Solomando A, Kendall T, Whittington CJ. Cognitive behavioural therapy for children and adolescents. Current Opinion in Psychiatry. 2008;21(4):332-7.

**79.** Shepherd G, Boardman J, Slade M. Making recovery a reality. London: Sainsbury Centre for Mental Health London; 2008.

**80.** Mental Health Council of Australia. Perspectives: mental health & wellbeing in Australia. Deakin West (ACT): MHCA; 2013.

**81.** Slade M. 100 ways to support recovery: a guide for mental health professionals. Rethink recovery series: volume 1. London: Rethink; 2009.

**82.** Australian Youth Affairs Coalition. The AYAC National Snapshot of Youth Work 2013. Surry Hills NSW: AYAC; 2013.

83. Youth Affairs Council of WA. Youth Work Code of Ethics 2003.

**84.** Bergmans Y, Langley J, Links P, Lavery JV. The perspectives of young adults on recovery from repeated suicide-related behavior. Crisis: Journal of Crisis Intervention & Suicide. 2009;30(3):120-7.

**85.** Basset T, Faulkner A, Repper J, Stamou E. Lived Experience Leading The Way Peer Support in Mental Health. London: 2010.

**86.** Turner G. Peer support and young people's health. Journal of Adolescence. 1999;22(4):567-72.

**87.** Jorm AF, Wright A, Morgan AJ. Where to seek help for a mental disorder? The Medical Journal of Australia. 2007;187(10):556-60.

**88.** Viner RM, Ozer EM, Denny S, Marmot M, Resnick M, Fatusi A, et al. Adolescence and the social determinants of health. The Lancet. 2012;379(9826):1641-52.

**89.** Jacobson N, Greenley D. What is recovery? A conceptual model and explication. Psychiatric services. 2001;52(4):482-5.

*90.* Ashcraft L, Johnson E, editors. Recovery through an Integrated Workforce: Adding Peers to the Team. SRN National Conference 2006; Glasgow.

**91.** Bradstreet S. Harnessing the 'Lived Experience': Formalising Peer Support Approaches to Promote Recovery. The Mental Health Review. 2006;11(2):33-7.

**92.** Cross W, Matthieu MM, Lezine D, Knox KL. Does a brief suicide prevention gatekeeper training program enhance observed skills? Crisis: The Journal of Crisis Intervention and Suicide Prevention. 2010;31(3):149-59. PubMed PMID: Peer Reviewed Journal: 2010-13460-006.

**93.** Wyman PA, Brown CH, Inman J, Cross W, Schmeelk-Cone K, Guo J, et al. Randomized trial of a gatekeeper program for suicide prevention: 1-year impact on secondary school staff. Journal of Consulting and Clinical Psychology. 2008;76(1):104.

**94.** Evans RE, Price S. Exploring organisational influences on the implementation of gatekeeper training: a qualitative study of the Applied Suicide Intervention Skills Training (ASIST) programme in Wales. Critical Public Health. 2012;23(2):213-24.

**95.** Stanley B, Brown G, Brent DA, Wells K, Poling K, Curry J, et al. Cognitive-behavioral therapy for suicide prevention (CBT-SP): treatment model, feasibility, and acceptability. Journal of the American Academy of Child and Adolescent Psychiatry. 2009;48(10):1005-13.

**96.** Bruffaerts R, Demyttenaere K, Hwang I, Chiu W-T, Sampson N, Kessler RC, et al. Treatment of suicidal people around the world. The British Journal of Psychiatry. 2011;199(1):64-70.

31

**97.** Noble-Carr D, Barker J. Research to practice series: Identity and meaning in the lives of vulnerable young people. Watson: Institute of Child Protection Studies 2013.

**98.** Dolev D, Russell P, Griesbach D, Lardner C. The use and impact of applied suicide intervention skills training (ASIST) in Scotland: an evaluation. Edinburgh: Scottish Government; 2008.

**99.** Griesbach D, Russell P, Dolev R, Lardner C. The use and impact of Applied Suicide Intervention Skills Training (ASIST) in Scotland: a literature review and evaluation. 2008.

**100.** Slesnick N, Kang MJ, Aukward E. Treatment attendance among homeless youth. Substance Abuse. 2008;29(2):43-52.

**101.** Heinze HJ, Jozefowicz DMH, Toro PA. Taking the youth perspective: assessment of program characteristics that promote positive development in homeless and at-risk youth. Children and Youth Services Review. 2010;32(10):1365-72.

**102.** Darbyshire P, Muir-Cochrane E, Fereday J, Jureidini J, Drummond A. Engagement with health and social care services: perceptions of homeless young people with mental health problems. Health & social care in the community. 2006;14(6):553-62.

**103.** Thompson SJ, McManus H, Voss T. Posttraumatic stress disorder and substance abuse among youth who are homeless: Treatment issues and implications. Brief Treatment and Crisis Intervention. 2006;6(3):206.

**104.** Christiani A, Hudson AL, Nyamathi A, Mutere M, Sweat J. Attitudes of homeless and drug-using youth regarding barriers and facilitators in delivery of quality and culturally sensitive health care. Journal of Child and Adolescent Psychiatric Nursing. 2008;21(3):154-63.

**105.** Bilén K, Ponzer S, Ottosson C, Castrén M, Owe-Larsson B, Ekdahl K, et al. Can repetition of deliberate self-harm be predicted? A prospective multicenter study validating clinical decision rules. Journal of Affective Disorders. 2013;149(1–3):253-8.

**106.** Sun F-K, Long A. A suicidal recovery theory to guide individuals on their healing and recovering process following a suicide attempt. Journal of Advanced Nursing. 2013;00(0):1-11.

**107.** Heilbron N, Goldston D, Walrath C, Rodi M, McKeon R. Suicide risk protocols: addressing the needs of high risk youths identified through suicide prevention efforts and in clinical settings. Suicide and Life-Threatening Behavior. 2013;43(2):150-60.

**108.** Redmond B. Reflection in action: developing reflective practice in health and social services. Hampshire, England: Ashgate Publishing Limited; 2006.

**109.** Myers MF, Fine C. Touched by suicide: bridging the perspectives of survivors and clinicians. Suicide and Life-Threatening Behavior. 2007;37(2):119-26.

**110.** Employee Assistance Professional Association of Australasia. Employee assistance professional association of Australasia [Internet] 2013 [cited 2013 Sept 17]. Available from: http://www.eapaa.org.au/. **111.** Youth Action and Policy Association NSW. Professional supervision Surry Hills (NSW): Youth Action and Policy Association; n.d. [cited 2013 Aug 12]. Available from: www.yapa. org.au/youthwork/facts/supervision.pdf.

**112.** Hawkins P, Shohet R. Supervision in the helping professions [Internet]. Berkshire, England: McGraw Hill; 2012.

**113.** Kidd SA, Miner S, Walker D, Davidson L. Stories of working with homeless youth: on being "mind-boggling". Children and Youth Services Review. 2007;29(1):16-34.

**114.** Stanley B, Brown GK. Safety planning intervention: a brief intervention to mitigate suicide risk. Cognitive and Behavioral Practice. 2012;19(2):256-64.

**115.** World Health Organization. Preventing suicide: a resource for primary healthcare workers Geneva: WHO, 2000.

**116.** Mulder R. Problems with suicide risk assessment. Australian and New Zealand Journal of Psychiatry. 2011;45(8):605-7.

**117.** Bridge JA, McBee-Strayer SM, Cannon EA, Sheftall AH, Reynolds B, Campo JV, et al. Impaired decision making in adolescent suicide attempters. Journal of the American Academy of Child & Adolescent Psychiatry. 2012;51(4):394-403.

**118.** Department of Health. Working with the suicidal person Victoria: State of Victoria; 2010.

**119.** Suicide Prevention Australia. SPA youth suicide prevention position statement. Leichhardt (NSW): Suicide Prevention Australia, 2010.

**120.** Suicide Prevention Resource Center. Safety planning in emergency settings [Internet] 2012 [cited 2013 Aug 28]. Available from: http://www.sprc.org.

Lost your happy place?